

mc 0,38
ft³ 13.4



kg 7,9
lb 17.4

EN: Armchair with upholstered shell version covered in fabric or leather and steel rod sled frame Ø 11 mm.

IT: Poltrona con scocca imbottita rivestita in tessuto o pelle e struttura a slitta in tondino d'acciaio Ø 11 mm.

DE: Armlehn-Stuhl mit gepolsterter Sitzschale bezogen mit Stoff oder Leder und Schlitten-Struktur aus Stahlrohr Ø 11 mm.

FR: Fauteuil avec coque rembourrée, revêtu en tissu ou cuir et structure en tube d'acier Ø 11 mm.

ES: Sillón con carcasa acolchada tapizada en tejido o piel y estructura de trineo de redondo de acero Ø 11 mm.

MATERIALS

Materiali
Materialien
Matériaux
Materiales

• SEAT - SEDUTA - SITZ - ASSISE - ASIENTO

EN: Beech plywood shell padded with expanded, flexible polyurethane (density 60kg/m³), fire-retardant (class 1 IM, Crib 5), covered with fabric

IT: Scocca in multistrato di faggio imbottita con poliuretano espanso flessibile (densità 60 kg/m³), ignifugo (classe 1 IM, Crib 5), rivestita in tessuto

DE: Schale aus Buchen-Multiplex gepolstert mit flexiblem Polyurethan (Dichte 60 kg/m³), feuerfest (Klasse 1 IM, Crib 5), mit Kernleder bezogen

FR: Coque en multiplis de hêtre rembourrée en polyuréthane expansé flexible (densité 60 kg/m³), ignifuge (classe 1 IM, Crib 5), recouverts de cuir naturel

ES: Carcasa de contrachapado de haya tapizado de espuma de poliuretano flexible (densidad 60 kg/m³), ignifugo (clase 1IM, Crib5), forrado de tela

• FABRIC - TESSUTO - STOFF - TISSU - TEJIDO

Cat. A - C (Excluding / Escluso C36÷C39) - D40÷D44 - G - H - N - P

EN: For more information see finishing legend on the website

IT: Per maggiori informazioni vedere legenda finiture sul sito web

• ARMRESTS - BRACCIOLI - ARMLEHNEN - ACCOUDOIR - REPOSABRAZOS

EN: Solid ash

IT: Massello di frassino

DE: Eschen-Massivholz

FR: Frêne massif

ES: Fresno macizo

WOOD FINISH - FINITURA LEGNO - HOLZ AUSFÜHRUNG - FINITION BOIS - ACABADO MADERA

EN: Water-based paint, matt finish (5 gloss), anti-scratch

IT: Verniciatura a base acqua, finitura opaca (5 gloss), antigraffio

DE: Lack auf Wasserbasis, Ausführung matt (5 gloss), kratzfest

FR: Peinture à base d'eau, finition mate (5 gloss), anti-rayures

ES: Pintura a base de agua, acabado mate (brillo 5), anti-arañazos



FR


5725

DESIGN
CMP Design• **FRAME** - TELAIO - STRUKTUR - STRUCTURE - ARMAZÓN

EN: Steel, rod Ø11 mm
 IT: Acciaio, tondino Ø11 mm
 DE: Stahl, rundes Rohrgestell Ø11 mm
 FR: Acier, fil Ø11 mm
 ES: Acero, varilla Ø11 mm

FRAME FINISH - FINITURA TELAIO - AUSFÜHRUNG DES GESTELL - FINITIONS STRUCTURE - ACABADO ARMAZÓN

EN: Powder coating
 IT: Verniciato con polvere
 DE: Pulverbeschichtet
 FR: Époxy à poudre
 ES: Barnizado con polvo



BI100

NERO

GA

MG

EN: For more information see finishing legend on the website

IT: Per maggiori informazioni vedere legenda finiture sul sito web

EN: Gold lacquered
 IT: Laccato Oro
 DE: Gold lackiert
 FR: Laqué or
 ES: Lacado en oro



VOR

EN: Chromed
 IT: Cromato
 DE: Verchromt
 FR: Chromé
 ES: Cromado



CR

EN: Antique brass
 IT: Ottone anticato
 DE: Messing Antik
 FR: Laiton vieilli
 ES: Latón antiguo



OA

• **FEET** - PIEDINI - GLEITER - PATINS - TACOS

EN: Technopolymer, with anti-rotation pin, black or white
 IT: Tecnopolimero, con perno antirotazione, bianco o nero
 DE: Technopolymer, mit nicht drehbar Kern, schwarz oder weiß
 FR: Technopolymère, avec pivot antirotation, blanc ou noir
 ES: Tecnopolímero, con perno antirrotacional, blanco o negro

REGULATIONS AND CERTIFICATES

Normative e Certificazioni
Bestimmungen und Zertifikat
Normatives et certifications
Normativas y certificados

- **RESISTANCE TEST - TEST DI RESISTENZA - TEST ZUR BELASTBARKEIT - TEST DE RÉSISTANCE - PRUEBA DE RESISTENCIA**

EN 1728:2012, 6.4 - EN 16139:2013, L2
EN 1728:2012, 6.5 - EN 16139:2013, L2
EN 1728:2012, 6.17 - EN 16139:2013, L2

- **PRODUCT CERTIFICATIONS - CERTIFICAZIONI DI PRODOTTO - PRODUKTZERTIFIZIERUNGEN - CERTIFICATIONS DE PRODUITS - CERTIFICACIONES DE PRODUCTO**

EN: FSC® certified product
IT: Prodotto certificato FSC®
DE: Zertifiziertes Produkt FSC®
FR: Produit certifié FSC®
ES: Producto certificado FSC®



- **ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT SUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL**

| MATERIAL Materiale | Kg WEIGHT Peso | % TOTAL ITEM Totale articolo | MATERIAL RECYCLABILITY Riciclabilità del materiale | % MINIMUM RECYCLED AT ORIGIN Minima riciclato all'origine | % RECYCLABLE END OF PRODUCT LIFE Riciclabile fine vita prodotto |
|--|----------------------|---------------------------------------|---|--|---|
| Steel Acciaio | 3,7 | 48,09 | YES | 33,2 | 100 |
| Tecnopolymer Tecnopolimero | 0,01 | 0,14 | YES | 40 | 100 |
| Polyurethane foam Poliuretano espanso | 0,9 | 11,65 | NO | 0 | 0 |
| Solid wood Legno massello | 0,25 | 3,24 | YES | 0 | 100 |
| Plywood Multistrato | 2,6 | 33,65 | YES | 0 | 100 |
| Fabric 490 g/m Tessuto 490 g/m | 0,25 | 3,24 | NO | 0 | 0 |
| TOTAL TOTALE | 7,73 Kg | -- | -- | 16 % | 85,1 % |

- **COMPANY CERTIFICATIONS - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN - CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA**

ISO 14001
Environmental management system
Sistema di gestione ambientale

ISO 9001
Quality management system
Sistema di gestione della qualità

