

Disassembled
Da assemblare

mc 0,064
ft³2.26

kg 13
lb 28.7

Q.ty/pallet

EN: Barstool with upholstered seat and central steel base

IT: Sgabello con sedile imbottito e base centrale in acciaio

DE: Barhocker mit gepolstertem Sitz und zentralem Stahlfuß

FR: Tabouret avec assise rembourrée et base centrale en acier

ES: Taburete con asiento tapizado y base central de acero

MATERIALS

Materiali
Materialien
Matériaux
Materiales

• SEAT - SEDUTA - SITZ - ASSISE - ASIEN TO

EN: Seat padded with expanded, flexible polyurethane (variable density 40-50kg/m³), fire-retardant (class 1 IM, Crib 5), inner structure in beech plywood, covered with fabric

IT: Sedile imbottito con poliuretano espanso flessibile (doppia densità 40-50 kg/m³), ignifugo (classe 1 IM, Crib 5), struttura interna in multistrato di faggio, rivestito in tessuto

DE: Sitz gepolstert mit flexiblem Polyurethan (doppelte Dichte 40-50 kg/m), feuerfest (Klasse 1 IM, Crib 5), innere Struktur aus Eschen-Multiplex und mit Stoff bezogen

FR: Assise rembourrée en polyuréthane expansé flexible (double densité 40-50 kg/m³), ignifuge (classe 1 IM, Crib 5), structure interne en multiples de hêtre, recouverts de tissu

ES: Asiento tapizado de espuma de poliuretano flexible (doble densidad 40-50 kg/m³), ignifugo (clase 1IM, Crib 5), estructura interna en contrachapado de haya, forrado de tela

FABRIC - TESSUTO - STOFF - TISSU - TEJIDO

CAT. A - C - G - H - P

EN: For more information see finishing legend on the website

IT: Per maggiori informazioni vedere legenda finiture sul sito web

• CROSS - CROCIERA - KREUZ - CROIX - CRUCETA

code 4006

EN: 230x230 mm, cast iron, sandblasted, powder coating

IT: 230x230 mm, ghisa, sabbiata, verniciata a polvere

DE: 230x230 mm, Gusseisen, Sandgestrahlt, pulverbeschichtet

FR: 230x230 mm, fonte, sablée, époxy à poudre

ES: 230x230mm, Hierro fundido, arenada, barnizada e

• COLUMN - COLONNA - SÄULE - COLONNE - COLUMNNA

EN: Tube Ø50 mm, stainless steel AISI 304

IT: Tubo Ø50 mm, acciaio inox AISI 304

DE: Rohr Ø50 mm, Edelstahl AISI 304

FR: Tube Ø50 mm, acier inox AISI 304

ES: Tubo Ø50 mm, acero inoxidable AISI 304

• COVER-BASE - COPRIBASE - ABDECKUNG - COUVRE-SOCLE - CUBRE BASE

EN: Stainless steel AISI 304

IT: Acciaio inox AISI 304

DE: Edelstahl AISI 304

FR: Acier inox AISI 304

ES: Acero inoxidable AISI 304

• BASE - BASE - BODENPLATTE - BASE - BASE

EN: Ø400 mm, cast iron, sandblasted

IT: Ø400 mm, ghisa, sabbiata

DE: Ø400 mm, Gusseisen, Sandgestrahlt

FR: Ø400 mm, fonte, sablée

ES: Ø400 mm mm, hierro fundido, arenada

FINISH - FINITURA - AUSFÜHRUNG - FINITION - ACABADO**EN: Scotch-Brite™ brushed stainless steel**

IT: Acciaio inox satinato Scotch-Brite™

DE: Edelstahl satiniert Scotch-Brite™

FR: Acier inoxydable satiné Scotch-Brite™

ES: Acero inoxidable satinado Scotch-Brite™



AC

EN: Polished stainless steel

IT: Acciaio inox lucidato

DE: Edelstahl poliert

FR: Acier inoxydable Poli

ES: Acero inoxidable Pulido



LU

- FEET - PIEDINI - GLEITER - PATINS - TACOS**

EN: Fixed, 6xØ18 mm, technopolymer, black

IT: Fissi, 6xØ18 mm, in tecnopolimero, neri

DE: Standard Gleiter, 6xØ18 mm, Technopolymer, schwarz

FR: Fixes, 6xØ18 mm, Technopolymère, noir

ES: Tacos, 6xØ18 mm, Tecnopolimero, negro

ACCESSORIES

Accessori
Zubehörteile
Accessoires
Accesorios

code KIT/FELTRO CURVO.6

EN: kit n°6 adhesive felts for round bases

IT: Kit n° 6 feltrini adesivi per basi tonde

DE: Kit n° 6 Filzgleiter für runden sockel

FR: Kit n° 6 feutres adhésifs pour bases rondes

ES: Kit n° 6 topes de fieltro para bases redondas

**REGULATIONS
AND CERTIFICATES**

Normative e Certificazioni
Bestimmungen und Zertifikat
Normatives et certifications
Normativas y certificados

• **ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT SUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL**

MATERIAL Materiale	WEIGHT (Kg) Peso (Kg)	% ON TOTAL ITEM % su tot articolo	RECYCLABILITY OF THE MATERIAL Riciclabilita' del materiale	% RICICLED AT ORIGIN % riciclato all'origine	% RECYCLABLE AT END OF PRODUCT LIFE % riciclabile fine vita prodotto
Steel Acciaio	1,85	13,93	YES	33,2	100
Cast iron Ghisa	9,8	73,79	YES	80	100
Tecnopolymer Tecnopolimero	0,008	0,06	YES	0	100
Polyurethane foam Poliuretano espanso	0,2	1,51	NO	0	0
Truciolare Truciolare	0,96	7,23	NO	90	0
Plywood Multistrato	0,267	2,01	YES	0	100
Fabric 490 g/m Tessuto 490 g/m	0,17	1,24	NO	0	0
Cardboard cartone	0,032	0,24	YES	0	100
TOTAL TOTALE	13,28 Kg	--	--	70,2 %	90 %



• **COMPANY CERTIFICATIONS - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN - CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA**

ISO 14001
Environmental management system
Sistema di gestione ambientale



ISO 9001
Quality management system
Sistema di gestione della qualità



**EN: Barstool with upholstered seat and central steel base with swivel mechanism**

IT: Sgabello con sedile imbottito e base centrale in acciaio con meccanismo girevole

DE: Barhocker mit gepolstertem Sitz und zentralem Stahlfuß mit Drehmechanismus

FR: Tabouret avec assise rembourrée et base centrale en acier avec mécanisme de pivotement.

ES: Taburete con asiento tapizado y base central de acero con mecanismo giratorio

MATERIALSMateriali
Materialien
Matériaux
Materiales• **SEAT - SEDUTA - SITZ - ASSISE - ASIENTO****EN: Seat padded with expanded, flexible polyurethane (variable density 40-50kg/m), fire-retardant (class 1 IM, Crib 5), inner structure in beech plywood, covered with fabric**

IT: Sedile imbottito con poliuretano espanso flessibile (doppia densità 40-50 kg/m³), ignifugo (classe 1 IM, Crib 5), struttura interna in multistrato di faggio, rivestito in tessuto

DE: Sitz gepolstert mit flexiblem Polyurethan (doppelte Dichte 40-50 kg/m), feuerfest (Klasse 1 IM, Crib 5), innere Struktur aus Eschen-Multiplex und mit Stoff bezogen

FR: Assise rembourrée en polyuréthane expansé flexible (double densité 40-50 kg/m³), ignifuge (classe 1 IM, Crib 5), structure interne en multiples de hêtre, recouverts de tissu

ES: Asiento tapizado de espuma de poliuretano flexible (doble densidad 40-50 kg/m³), ignifugo (clase 1IM, Crib 5), estructura interna en contrachapado de haya, forrado de tela

FABRIC - TESSUTO - STOFF - TISSU - TEJIDO**CAT. A - C - G - H - P****EN: For more information see finishing legend on the website**

IT: Per maggiori informazioni vedere legenda finiture sul sito web

• **COLUMN - COLONNA - SÄULE - COLONNE - COLUMNNA****EN: Tube Ø50 mm, stainless steel AISI 304**

IT: Tubo Ø50 mm, acciaio inox AISI 304

DE: Rohr Ø50 mm, Edelstahl AISI 304

FR: Tube Ø50 mm, acier inox AISI 304

ES: Tubo Ø50 mm, acero inoxidable AISI 304

• **COVER-BASE - COPRIBASE - ABDECKUNG - COUVRE-SOCLE - CUBRE BASE****EN: Stainless steel AISI 304**

IT: Acciaio inox AISI 304

DE: Edelstahl AISI 304

FR: Acier inox AISI 304

ES: Acero inoxidable AISI 304

• **BASE - BASE - BODENPLATTE - BASE - BASE****EN: Ø400 mm, cast iron, sandblasted**

IT: Ø400 mm, ghisa, sabbata

DE: Ø400 mm, Gusseisen, Sandgestrahlt

FR: Ø400 mm, fonte, sablée

ES: Ø400 mm mm, hierro fundido, arenada

FINISH - FINITURA - AUSFÜHRUNG - FINITION - ACABADO**EN: Scotch-Brite™ brushed stainless steel**

IT: Acciaio inox satinato Scotch-Brite™

DE: Edelstahl satiniert Scotch-Brite™

FR: Acier inoxydable satiné Scotch-Brite™

ES: Acero inoxidable satinado Scotch-Brite™



AC

EN: Polished stainless steel

IT: Acciaio inox lucidato

DE: Edelstahl poliert

FR: Acier inoxydable Poli

ES: Acero inoxidable Pulido



LU

- **FEET - PIEDINI - GLEITER - PATINS - TACOS**

EN: Fixed, 6xØ18 mm, technopolymer, black

IT: Fissi, 6xØ18 mm, in tecnopolimero, neri

DE: Standard Gleiter, 6xØ18 mm, Technopolymer, schwarz

FR: Fixes, 6xØ18 mm, Technopolymère, noir

ES: Tacos, 6xØ18 mm, Tecnopolimero, negro

ACCESSORIES

Accessori
Zubehörteile
Accessoires
Accesorios

code KIT/FELTR O.CURVO.6

EN: kit n°6 adhesive felts for round bases

IT: Kit n° 6 feltrini adesivi per basi tonde

DE: Kit n° 6 Filzgleiter für runden sockel

FR: Kit n° 6 feutres adhesifs pour bases rondes

ES: Kit n° 6 topes de fieltro para bases redondas

**REGULATIONS
AND CERTIFICATES**

Normative e Certificazioni
Bestimmungen und Zertifikat
Normatives et certifications
Normativas y certificados

**• ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT SUR L'ENVIRONNEMENT -
IMPACTO AMBIENTAL**

MATERIAL Materiale	WEIGHT (Kg) Peso (Kg)	% ON TOTAL ITEM % su tot articolo	RECYCLABILITY OF THE MATERIAL Riciclabilita' del materiale	% RICICLED AT ORIGIN % riciclato all'origine	% RECYCLABLE AT END OF PRODUCT LIFE % riciclabile fine vita prodotto
Steel Acciaio	3,309	24,99	YES	33,2	100
Die-cast aluminium Alluminio pressofuso	0,2	1,51	YES	94	100
Cast iron Ghisa	8,1	61,18	YES	80	100
Tecnopolymer Tecnopolimero	0,008	0,06	YES	0	100
Polyurethane foam Poliuretano espanso	0,2	1,51	NO	0	0
Truciolare Truciolare	0,96	7,23	NO	90	0
Plywood Multistrato	0,267	2,01	YES	0	100
Fabric 490 g/m Tessuto 490 g/m	0,17	1,24	NO	0	0
Cardboard cartone	0,032	0,24	YES	0	100
TOTAL TOTALE	13,24 Kg	--	--	65,2 %	90 %

**• COMPANY CERTIFICATIONS - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN -
CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA**

ISO 14001
Environmental management system
Sistema di gestione ambientale

ISO 9001
Quality management system
Sistema di gestione della qualità

